



# Product Catalog **DS Industry**





### Contents

### Cantilev

Washing

Floor m

Hand wa

Paymen

**Frames** 

Bodies

Own ma

Contact

MOY-KA! DS Industry

4e, Brusilova st., Voron<u>ezh</u>

8 800 350 15 81

dscarwash.ru

/ers	4
g guns holders	8
ats clips	9
ash basins	10
nt terminals	11
	12
	14
anufactured components	15
us	16

### Cantilevers

#### **DS Straight Cantilever** CId<sub>38</sub>



150 \$

Price



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel	AISI 304
Standard sizes	1550 x 1650 x 1750 mm
Custom sizes	on order
Base thickness	4 mm
Liner diameter	57 mm
Bearing diameter	52 mm
Shaft diameter	25 mm
Bearing	manufactured in Russia
Pipe diameter	38 mm
Pipe thickness	1,2 mm
Spring material	galvanized steel

### DS Straight Cantilever 15° CLd38

150 \$



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel	AISI 304
Standard sizes	1550 x 1650 x 1750 mm
Custom sizes	on order
Base thickness	4 mm
Liner diameter	57 mm
Bearing diameter	52 mm
Shaft diameter	25 mm
Bearing	manufactured in Russia
Pipe diameter	38 mm
Pipe thickness	1,2 mm
Spring material	galvanized steel

#### **DS z-shaped Cantilever** CZd38





Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Ctainlana ataul	
Stainless steel	AISI 304
Standard sizes	1550 x 1650 x 1750 mm
Custom sizes	on order
Base thickness	4 mm
Liner diameter	57 mm
Bearing diameter	52 mm
Shaft diameter	25 mm
Bearing	manufactured in Russia
Pipe diameter	38 mm
Pipe thickness	1,2 mm
Spring material	galvanized steel

#### **DS straight Cantilever** CId50

Price

200 \$



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel Standard sizes Custom sizes Base thickness Liner diameter Bearing diameter Shaft diameter Bearing Pipe diameter Pipe thickness Spring material

AISI 304 1550 x 1650 x 1750 mm on order 5 mm 76 mm 72 mm 30 mm manufactured in Japan 50 mm 1,5 mm galvanized steel

### Cantilevers

### DS Straight 15° Cantilever CLd50

Price

200 \$



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

AISI 304
1550 x 1650 x 1750 mm
on order
5 mm
76 mm
72 mm
30 mm
manufactured in Japan
50 mm
1,5 mm
stainless steel

DS z-shaped Cantilever CZd50	
Price	215 \$



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel	AISI 304
Standard sizes	1550 x 1650 x 1750 mm
Custom sizes	on order
Base thickness	5 mm
Liner diameter	76 mm
Bearing diameter	72 mm
Shaft diameter	30 mm
Bearing	manufactured in Japan
Pipe diameter	50 mm
Pipe thickness	1,5 mm
Spring material	stainless steel

DS z-shaped Cantileve		
CZFd50	with 2 springs	
Price	230 \$	



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel	AISI 304
Standard sizes	1550 x 1650 x 1750 mm
Custom sizes	on order
Base thickness	5 mm
Liner diameter	76 mm
Bearing diameter	72 mm
Shaft diameter	30 mm
Bearing	manufactured in Japan
Pipe diameter	50 mm
Pipe thickness	1,5 mm
Spring material	stainless steel

#### DS Straight Freight Cantileve CITd50

Price

250 \$



Serves for flexible connection of HPH (high pressure hose) with a washing gun in the self-service car wash bay.

The 360° swivel design makes it quick and convenient to move the washing gun around the car. The spring mechanism at the end of the cantilevers reduces friction and load on the hose, and therefore increases its service life.

Stainless steel Standard sizes Custom sizes Base thickness Liner diameter Bearing diameter Shaft diameter Bearing Pipe diameter Pipe thickness Spring material AISI 304 3000 mm on order 5 mm 88 mm 80 mm 35 mm manufactured in Japan 50 mm 1,5 mm stainless steel

### Washing guns holders

1,5 mm

no

### **Floor mats clips**

Washing gun holder	Pd63	Washing gun h	older	PFd63
Price	20 \$	Price		50 \$
Serves for convenient fixation of the washing gun in the wash and its safe storage. It is possible to edging the upper part with a polymer ring or a stainless steel There are holes in the base of th holder for draining water.	e soft ring.	This holder is equipped at the base, which soft of the gun. Serves for c of the washing gun in and its safe storage. It to edging the upper pa polymer ring or a stain There are holes in the holder for draining wa	ens the fix convenient the washir is possible art with a s nless steel r base of the	t fixation ng bay soft ring.
Stainless steel	AISI 304	Stainless steel		AISI 304
Pipe diameter	63 mm	Pipe diameter		63 mm

Metal thickness

Spring mechanism at the base

1,5 mm

yes

DS Floor mat clip	KN
Price	10 \$





Used for convenient fixation of car floor mats on the walls of the car wash bay.

Stainless steel Metal thickness Base metal thickness AISI 304 1mm 1.5 mm

8

Metal thickness

Spring mechanism at the base



#### **DS Floor mat clip**



Price

12 \$





The wide design allows secure fixation of car floor mat on the wall of the wash bay and also has a more aesthetic appearance.

Нержавеющая сталь Толщина металла Толщина металла основания AISI 304 1.5 mm 2 mm

### Hand wash basin

### **DS hand** wash basin







Price

Functional stainless steel hand wash basin. Designed for installation at a self-service car wash, mainly in the car wiping area. Operated by a foot pedal.

Available with heating for comfortable use in winter. An even flow of water (or a waterfall) is created due to special spout design.

Stainless steel Metal thickness Base metal thickness Mechanism manufacturer

#### AISI 304 1mm 1.5 mm Italy

300 \$

# **Payment terminal**

### **DS Payment**







Price

from 210 \$



Stainless steel payment terminal. It accepts payments using contact and contactless payment methods, and also has the ability to expand functionality by integrating a loyalty system and an electronic fiscal data recording module.

Hinged, attached to the structure of washing bay, a durable steel body and the possibility of custom branding. Bill and coin acceptor. LED screen. OWEN controller.

Stainless steel Metal thickness AISI 304 1,5 mm

### Frames



Price

#### from **50** \$



The frame can be manufactured according to individual drawings.

> Stainless steel Profile pipe 1 Profile pipe 2

AISI 304 40x40x2 mm 40x20x2 mm

## **Bodies**

# Payment terminal body





The payment terminal body can be manufactured according to individual drawings.

> It's possible to add to the terminal body package:

- Coin acceptor
- Bill acceptor
- Bank terminal
- Loyalty/service card reader
- Piezo buttons depending
- on the number of programs
- Heating

Stainless steel Metal thickness

AISI 304 1,5 - 2 mm

from 300 \$

## **Own manufactured** components

### **Check valves**

Price	22,5 \$
DS	G1/4F

### Angular rotary unions



Stainless steel Max. 400 bar / 30 rpm / 90 °C

	$\leftarrow$	$\rightarrow$
DS	3/8" IG	3/8" AG



### **Rotary unions**

Price

20,80\$



Stainless steel Max. 350 bar / 90 °C



### 4e, Brusilova st., Voronezh

Address of our office and production

### 8 (800) 350-15-81

Phone number for getting advice

### sales@dscarwash.ru

Email address for your emails

### @imoykabusiness

Follow us on Instagram



Visit our website www.dscarwash.ru